

04/23/98  
JC575 U.S. PTO

LAW OFFICES  
EZRA SUTTON, P. A.  
A PROFESSIONAL CORPORATION  
PLAZA 9  
900 ROUTE 9  
WOODBIDGE, NEW JERSEY 07095

EZRA SUTTON\*  
OF COUNSEL  
ROBERT A. GREEN  
DAVID L. DAVIS  
JEFFREY I. KAPLAN

April 23, 1998

BY EXPRESS MAIL

PATENTS  
TRADEMARKS  
COPYRIGHTS

(732) 634-3520  
CABLE: TRADEPAT  
FAX: (732) 634-3511

\*MEMBER OF N.J. AND N.Y. BARS

Hon. Commissioner of Patents & Trademarks  
Washington, D.C. 20231

File No.: VIDOLIN 3.0-001  
Inventor(s): Michael F. Vidolin, et al  
Title: FRIENDSHIP BRACELET WITH EXCHANGEABLE ELEMENTS

Assignee: None

Dear Sir:

Enclosed herewith are the following documents in the above-identified application for a Letters Patent of the United States:

<u>1</u> Pages of Abstract	<u>X</u> Verified Statement for Small Entity Status
<u>14</u> Pages of Specification	Declaration, Power of Attorney & Petition
<u>24</u> Number of Claims	Two (2) return-addressed postcards
<u>6</u> Sheets of Drawings	(PLEASE PROVIDE FILING DATE & SERIAL NUMBER)
<u>none</u> Assignment for Recording	(attached to copy of this letter)


Check No. 1937 in the amount of \$439.00, calculated as follows:

Basic Fee (**Large Business \$790.00) (*Small Business \$395.00)	<u>\$395.00</u>
Additional Fees:	
Total number of claims <u>24</u>	
Total number of claims in excess of 20, <u>4</u> times (**\$22) (*\$11)	<u>44</u>
Number of independent claims <u>2</u>	
Number of independent claims minus 3, <u>--</u> times (**\$82) (*\$41)	<u>--</u>
Assignment recording fee (\$40)	<u>--</u>
Multiple dependent claims (**\$270) (*\$135)	<u>--</u>
TOTAL filing and assignment recording fees	<u>\$439.00</u>

CONVENTION DATE \_\_\_\_\_ for \_\_\_\_\_ Appln. No. \_\_\_\_\_  
is claimed.

Priority Document: \_\_\_\_\_ Enclosed \_\_\_\_\_ Will follow

Respectfully submitted,

  
EZRA SUTTON, Reg No. 25,770

ES/jmt  
Enclosures

**FRIENDSHIP BRACELET WITH EXCHANGEABLE ELEMENTS**

**FIELD OF THE INVENTION**

This invention relates to a friendship bracelet with  
5 exchangeable elements. More particularly, the bracelet is made of  
a stretchable band covered with a fabric and having closure means  
for fastening the ends together. Slidably mounted on the bracelet  
are a plurality of closed loop members, each having first indicia  
on them, such that the loop members are slidably removable from the  
10 bracelet and are exchangeable with loop members of other bracelets.

**BACKGROUND OF THE INVENTION**

Clubs, groups, and cliques are formed based on gender,  
schools, hobbies, sporting activities, work associations and the  
like. As part of a group, many individuals wear and display  
15 articles to identify themselves within that group. These display  
articles may take a variety of forms such as name tags; jewelry  
such as bracelets and necklaces; and clothing articles such as  
hats, jackets, neckties, T-shirts, etc. But within these groups  
based on gender, school, hobbies, sporting activity, etc., there is  
20 no clear way to indicate a friendship with another person within  
that group or club, etc.

There remains a need for friendship bracelets with removable  
elements or loop members having indicia thereon which are  
exchangeable with a friend's bracelet having loop members thereon  
25 with different indicia for indicating friendships within a group or  
clique and to identify members of that friendship group or clique.

## DESCRIPTION OF THE PRIOR ART

Bracelets, necklaces, tie clasps, hats, and headbands having changeable elements mounted thereon to be worn on the wrist, neck, head of a person having various designs, appearances, structures, materials of construction and functions have been disclosed in the prior art. For example, U.S. Patent No. 2,699,553 discloses a novelty hat having changeable symbols removably mounted thereon.

U.S. Patent No. 4,179,833 discloses a strap-like bracelet having removable tabs with reminder messages on them.

U.S. Patent No. 4,237,702 discloses a necklace having a plurality of housings with indicia thereon being slidably mounted on a portion of the necklace.

U.S. Patent No. 4,879,882 discloses a jewelry pendant having changeable elements with indicia thereon.

None of the prior art patents disclose a stretchable friendship bracelet with removable loop members having different indicia thereon which are exchangeable with a friend's bracelet.

Accordingly, it is an object of the present invention to provide a novel friendship bracelet with exchangeable elements thereon, wherein the bracelet is made of a stretchable band covered with a fabric and having means for fastening the ends together.

Another object of the present invention is to provide a friendship bracelet wherein the exchangeable elements are in the form of a plurality of closed loop members having indicia thereon.

Another object of the present invention is to provide a friendship bracelet that may be worn by adults, teenagers, and children of both sexes for indicating membership in friendship groups, cliques, clubs and the like.

5 Another object of the present invention is to provide a friendship bracelet wherein the indicia may be any design such as designs selected from the group consisting of stars, stripes, hearts, flowers, insects, animals and the like; colors such as red, blue, green, yellow, purple, pink and the like; and indicia symbols  
10 such as letters, numbers, initials, names, insignias, emblems and the like.

Another object of the present invention is to provide a friendship bracelet wherein the fastening means for fastening the bracelet ends together include snaps, clasps, hook and loop  
15 fasteners (Velcro™ fasteners), buckle and tine members, hook members, or buttons and the like.

Another object of the present invention is to provide a friendship bracelet wherein the bracelet is made of a stretchable elastic band covered with an outer layer of fabric material, in  
20 which the fabric material is selected from the group consisting of cotton, rayon, nylon, silk, linen, polyester and combinations thereof.

Another object of the present invention is to provide a friendship bracelet that is durable, light-weight and cleanable by  
25 washing for extending the useful life of the bracelet.

A still further object of the present invention is to provide a friendship bracelet that can be mass produced in an automated and economical manner and is readily affordable by the wearer.

## SUMMARY OF THE INVENTION

In accordance with the present invention, there is provided a friendship bracelet for wearing on the wrist. The friendship bracelet includes a wristband formed of stretchable material and having releasable closure means for opening and closing the wristband. A plurality of closed loop members are slidably removable from the wristband for exchanging with the closed loop members of other ones of the wristbands. Each of the plurality of closed loop members having a surface with first indicia thereon for exchanging with the closed loop members of other ones of the wristbands having second, third and fourth indicia thereon.

A method of using the friendship bracelet of the present invention including a bracelet having a wristband with a plurality of closed loop members thereon and having releasable closure means; and closed loop members having first indicia thereon, comprising the following steps:

a) Opening of the releasable closure means and slidably removing from the wristband one of the plurality of closed loop members having a first indicia thereon;

b) Exchanging the removed one of the plurality of closed loop members with the closed loop member from another one of the friendship bracelets having second indicia thereon;

c) Sliding the closed loop member from another one of the friendship bracelets onto the wristband; and

d) Closing the closure means to retain the wristband on the wrist of the wearer having closed loop members thereon with the first and second indicia thereon.

#### BRIEF DESCRIPTION OF THE DRAWINGS

5 Further objects, features, and advantages of the present invention will become apparent upon consideration of the detailed description of the presently-preferred embodiments, when taken in conjunction with the accompanying drawings wherein:

10 Figure 1 is a front perspective view of the friendship bracelet of the preferred embodiment of the present invention showing the wristband, the clasp, the plurality of closed loop members having different indicia thereon; and also showing the friendship bracelet in an assembled state being in operational use wherein the wristband section is in a fully stretched position on the wearer's wrist;

15 Figure 2 is a front perspective view of the friendship bracelet of the present invention showing a first friendship bracelet in a partially assembled state and unstretched configuration being readied for receiving a closed loop member from another bracelet onto the wristband section of the first friendship bracelet;

20 Figure 3 is an enlarged cross-sectional view of the friendship bracelet of the present invention showing the wristband having an inner elastic section and an outer material layer thereon, a closed loop member having indicia thereon and also showing the closed loop member encircling the wristband section of the friendship bracelet;

Figure 4 is a rear perspective view of the friendship bracelet of the present invention showing the first and second connecting tab members attached to metal or plastic clasping components to form a metal or plastic clasp for joining each wristband end together;

Figure 5 is a front perspective view of the friendship bracelet of the present invention showing the friendship bracelet in an assembled state and the wristband section in an unstretched configuration having a plurality of closed loop members with indicia thereon and being on the wristband section ready to be worn by a wearer;

Figure 6A is a top plan view of the friendship bracelet of the present invention showing the slidable removing of a closed loop member having different indicia thereon from first and second friendship bracelets;

Figure 6B is a top plan view of the friendship bracelet of the present invention showing the exchanging of each of the closed loop member having different indicia designs thereon and slidably attaching the closed loop member having different indicia designs thereon onto wristband sections to each of the other first and second friendship bracelets;

Figure 6C is a top plan view of the friendship bracelet of the present invention showing each of the closed loop members having different indicia designs thereon on each of the other first and second friendship bracelets;

Figure 7A is a block diagram of the method of use for wearing of a friendship bracelet having exchangeable elements by a user, showing the steps of opening the friendship bracelet, the removing of a closed loop member from the friendship bracelet, and the exchanging of each of the closed loop members that are performed in the wearing of the present invention;

Figure 7B is a block diagram of the method of use for wearing of a friendship bracelet having exchangeable elements by a user showing the steps of attaching each of the closed loop members to different friendship bracelets and closing of the friendship bracelet on each of the wearers that are performed in the wearing of the present invention; and

Figure 8 is a front perspective view of the friendship necklace of the alternate embodiment of the present invention showing the neckband, the clasp, the plurality of closed loop members having different indicia designs thereon; and also showing the friendship necklace in an assembled state having a plurality of closed loop members with different indicia designs thereon and being on the neckband section ready to be worn around the neck by a wearer.

DETAILED DESCRIPTION OF THE PREFERRED  
EMBODIMENT AND ALTERNATE EMBODIMENT

The friendship bracelet 10 and its component parts for wearing on the wrist 12 of a user of the preferred embodiment of the present invention are represented in detail by Figures 1 through 5 of the drawings. The friendship necklace 100 and its component parts for wearing on the neck of a user of the alternate embodiment



of the present invention is represented in detail by Figure 8 of the drawings. The method of using the friendship bracelet for wearing around the wearer's wrist 12 having various operational steps performed in the exchanging of closed loop members with indicia thereon with other bracelets is disclosed in the preferred embodiment of the present invention and is represented in detail by Figures 6A, 6B, 6C, 7A and 7B of the drawings.

The friendship bracelet 10, as shown in Figure 1 of the drawings, includes a wristband section 20, closure means 40, and a plurality of closed members 60 having indicia 62 thereon. Band section 20 includes an outer surface layer 22 made of a fabric material 24. Fabric materials 24 used for the outer surface layer 22 include cotton, rayon, nylon, silk, linen, polyester and combinations thereof. Outer surface layer 22 is joined together at a seam line 26 by means of stitching 50, gluing 52 and the like, and having an open space 28 formed therein for receiving of an elongated elastic strip 30 therein. Elastic strip 30 may be made of elastic materials such as elasticized plastics, rubber, plasticized rubber, elasticized fabric materials and the like. As shown in Figures 2 and 3, the elastic strip 30 is disposed in the open space 28 and is connected to first and second end wall tab members 32 and 34 of band section 20 by means of stitching 50, gluing 52, stapling 54, laser fusing (not shown) and the like. Tab members 32 and 34 include closure means 40 thereon for connecting the end wall tab members 32 and 34 together to form a closed bracelet 10, as depicted in Figure 1 of the drawings. Closure

means 40 can be selected from the group consisting of snaps 42s clasps 42c, hook and loop tabs or fasteners 46h, buckle and tine members 48b, hook members, buttons and the like, as depicted in Figures 5, 6A, 6B and 6C of the drawings.

5           Band section 20 further includes a plurality of closed loop members 60 having first indicia 62 thereon. Closed loop members 60 are made of fabric material 64 similar or the same as the outer surface layer 22 that include cotton, rayon, nylon, silk, linen, polyester and combinations thereof. As shown in Figures 3 and 4 of  
10   the drawings, closed loop member 60 is joined together at a seam line 66 by means of stitching 50, gluing 52 and the like and having an open space 68 formed therein for receiving of the band section 20 therein. Indicia 62 on loop member 60 may be selected from the group consisting of designs such as stars, stripes, hearts, flowers, insects, animals, and the like; colors such as red, blue,  
15   green, yellow, purple, pink and the like; and indicia symbols such as letters, initials, names, numbers, sport and hobby insignias, emblems, corporate logos and the like.

20           As shown in Figures 1 through 6C, indicia 62 can be imprinted or embroidered on the front wall section 60f of the loop member 60 or indicia 62 can be a separate component from the loop member 60, such that the indicia member 62 is attached to the front wall section 60f of the loop member 60 by means of stitching 50, gluing 52, stapling 54, heat sealing, laser fusion or the like.

5 The plurality of closed loop members 60 having first indicia 62 thereon are slidably removable from the wristband section 20 of a first user's friendship bracelet 10, and are used for exchanging with other closed loop members 60' having a second indicia 72 thereon from another wristband section 20' of a second user's friendship bracelet 10'. Each of the plurality of closed loop members 60 having first indicia members 62 thereon are used for exchanging with closed loop members 60', 60", or 60'" of other friendship bracelet 10', 10" or 10'" having second, third or fourth indicia symbols 72, 82 and 92 thereon, as depicted in detail by Figure 2, 6A to 6C of the drawings.

15 In an alternate embodiment, as shown in Figure 8, band section 120 can be elongated with or without an inner elastic band section having closure means 40 thereon for the forming of a friendship necklace 100 thereof. In all other aspects the friendship necklace 100 of the alternate embodiment is exactly the same as the friendship bracelet 10 of the preferred embodiment except for the neckband section 120 having an elongated length. Other embodiments of the friendship bracelet 10 can include ankle bracelets, barrettes for hair, tie clasps and headbands, or loop members 60 only for use with shoe or sneaker laces.

#### METHOD OPERATION OF THE PRESENT INVENTION 400

25 In operation, the friendship bracelet 10 of a first wearer 12 with that of a second friendship bracelet 10' of a second wearer 12' includes the following steps, as depicted in detail by Figures 1, 6A to 7B of the drawings. The first step 410 is the opening of the releasable closure means 40 (e.g. snaps 42s, or 44c clasps, or

Velcro™ tabs 44h, or buckle and tine 48b or the like) on each wristband section 20 and 20' of each first and second friendship bracelet 10 and 10'. Then the next step 420 is slidably removing from each wristband section 20 and 20', one of the plurality of closed loop members 60 and 60' thereon, where closed loop member 60 and 60' has a first indicia 62 thereon and a second indicia 72 thereon, respectively. The first and second indicia 62 and 72 are different from each other (e.g. first indicia 62 being a design such as a ★ [star], a Δ [triangle], etc. and the second indicia 72 being a indicia symbol such as initials JCA, a corporate symbol, etc.) and being on each different closed loop members 60 and 60', respectively.

The next step 430 would be the exchanging of each of the removed closed loop members 60 and 60' having first and second indicia 62 and 72 thereon, respectively, such that the first wearer 12 of the first friendship bracelet 10 receives the closed loop member 60' having the second indicia 72 thereon and the second wearer 12' of the second friendship bracelet 10' receives the closed loop member 60 having the first indicia 62 thereon.

The next step 440 is sliding each closed loop member 60 and 60' having the first and second indicia 62 and 72 thereon, on each of the respective exchanged wristbands 20 and 20' of the first and second friendship bracelets 10 and 10', respectively, such that closed loop member 60 having the first indicia 62 thereon is slidably connected to the second wristband section 20' of the second friendship bracelet 10' of the second wearer 12', and the

closed loop member 60' having the second indicia 72 thereon is slidably connected to the first wristband section 20 of the first friendship bracelet 10 of the first wearer 12.

The final step 450 is the closing of the releasable closure means 40 on each of the wristband sections 20 and 20' of each first and second friendship bracelets 10 and 10', such that the first wearer 12 of the first friendship bracelet 10 has a plurality of closed loop members 60 and 60' thereon and wristband section 20 has at least one closed loop member 60' having a second indicia 72 thereon; and the second wearer 12' of the second friendship bracelet 10' has a plurality of closed loop members 60 and 60' thereon and wristband section 20' has at least one closed loop member 60 having a first indicia 62 thereon.

It is understood that each friendship bracelet 10 can have several closed loop members 60, 60', 60", 60'" etc., each having different indicia designs, colors or symbols 62, 72, 82, 92, respectively thereon, as depicted in Figure 1 of the drawings. The operation and method of use of other alternate embodiments would be exactly the same as the preferred embodiment of the present invention of the friendship bracelet 10, where alternate embodiments include friendship ankle bracelets, friendship necklaces, friendship headbands and the like.

### ADVANTAGES OF THE PRESENT INVENTION

Accordingly, an advantage of the present invention is that it provides for a novel friendship bracelet with exchangeable elements thereon, wherein the bracelet is made of a stretchable band covered with a fabric and having means for fastening the ends together.

Another advantage of the present invention is that it provides for a friendship bracelet wherein the exchangeable elements are in the form of a plurality of closed loop members having indicia thereon.

Another advantage of the present invention is that it provides for a friendship bracelet that may be worn by adults, teenagers, and children of both sexes for indicating membership in friendship groups, cliques, clubs and the like.

Another advantage of the present invention is that it provides for a friendship bracelet wherein the indicia may be any design such as designs selected from the group consisting of stars, stripes, hearts, flowers, insects, animals and the like; colors such as red, blue, green, yellow, purple, pink and the like; and indicia symbols such as letters, numbers, initials, names, insignias, emblems and the like.

Another advantage of the present invention is that it provides for a friendship bracelet wherein the fastening means for fastening the bracelet ends together include snaps, clasps, hook and loop fasteners (Velcro™ fasteners), buckle and tine members, hook members, or buttons and the like.

Another advantage of the present invention is that it provides for a friendship bracelet wherein the bracelet is made of a stretchable elastic band covered with an outer layer of fabric material, in which the fabric material is selected from the group consisting of cotton, rayon, nylon, silk, linen, polyester and combinations thereof.

Another advantage of the present invention is that it provides for a friendship bracelet that is durable, light-weight and cleanable by washing for extending the useful life of the bracelet.

A still further advantage of the present invention is that it provides for a friendship bracelet that can be mass produced in an automated and economical manner and is readily affordable by the wearer.

A latitude of modification, change, and substitution is intended in the foregoing disclosure, and in some instances, some features of the invention will be employed without a corresponding use of other features. Accordingly, it is appropriate that the appended claims be construed broadly and in a manner consistent with the spirit and scope of the invention herein.

WHAT IS CLAIMED:

1. A friendship bracelet for wearing on the wrist, comprising:

5 a) a wristband formed of an outer fabric material and an inner stretchable elastic material and including releasable closure means for opening and closing said wristband;

b) a plurality of closed loop members slidably removable from said wristband for exchanging with the closed loop members of other ones of said wristbands; and

10 c) each of said plurality of closed loop members having a surface with first indicia thereon for exchanging with the closed loop members of other ones of said wristbands having second, third and fourth indicia thereon.

15 2. A friendship bracelet in accordance with Claim 1, wherein said outer fabric material is selected from the group consisting of cotton, rayon, nylon, silk, linen, polyester and combinations thereof.

20 3. A friendship bracelet in accordance with Claim 1, wherein said inner stretchable elastic material is selected from the group consisting of elasticized plastics, rubber, plasticized rubber, elasticized fabric materials, and combinations thereof.



4. A friendship bracelet in accordance with Claim 1, wherein said releasable closure means are selected from the group consisting of snaps, clasps, hook and loop fasteners, buckle and tine members, hook members, buttons, and equivalents thereof.

5 5. A friendship bracelet in accordance with Claim 1, wherein said closed loop member is made of fabric material selected from the group consisting of cotton, rayon, nylon, silk, linen, polyester and combinations thereof.

10 6. A friendship bracelet in accordance with Claim 1, wherein said first indicia is imprinted or embroidered on said surface of said closed loop member.

15 7. A friendship bracelet in accordance with Claim 1, wherein said first indicia includes an embroidered or imprinted indicia member attached to said surface of said closed loop member by means of gluing, sewing, stapling, heat sealing or laser fusion.

8. A friendship bracelet in accordance with Claim 1, wherein said first indicia has a design selected from the group consisting of stars, stripes, hearts, flowers, insects, animals and the like.

9. A friendship bracelet in accordance with Claim 1, wherein said first indicia has a color format selected from the group consisting of colors such as red, blue, green, yellow, purple, pink and the like.

5 10. A friendship bracelet in accordance with Claim 1, wherein said first indicia has indicia symbols selected from the group consisting of letters, initials, names, numbers, insignias, emblems, corporate logos and the like.

10 11. A friendship bracelet in accordance with Claim 1, wherein said wristband retains at least two or more of said closed loop members thereon for displaying said first and second indicia on said closed loop members.

15 12. A method of using the friendship bracelet of Claim 1, wherein said friendship bracelet includes a wristband having thereon a plurality of closed loop members with first indicia thereon, and having releasable closure means; comprising the following steps:

20 a) opening said releasable closure means and slidably removing from said wristband one of said plurality of closed loop members having said first indicia thereon;

b) exchanging said removed one of said plurality of closed loop members with the closed loop member from another one of said friendship bracelets having second indicia thereon;

c) sliding the closed loop member from said another one of said friendship bracelets onto said wristband; and

d) closing said closure means to retain said wristband on the wrist of the wearer having closed loop members thereon with said first and second indicia thereon.

13. A friendship necklace for wearing on the neck, comprising:

a) a neckband formed of an outer fabric material and an inner band and including releasable closure means for opening and closing said neckband;

b) a plurality of closed loop members slidably removable from said neckband for exchanging with the closed loop members of other ones of said neckbands; and

c) each of said plurality of closed loop members having a surface with first indicia thereon for exchanging with the closed loop members of other ones of said neckbands having second, third and fourth indicia thereon.

14. A friendship necklace in accordance with Claim 13, wherein said outer fabric material is selected from the group consisting of cotton, rayon, nylon, silk, linen, polyester and combinations thereof.

15. A friendship necklace in accordance with Claim 13,  
wherein said innerband is made of stretchable elastic material and  
is selected from the group consisting of elasticized plastics,  
rubber, plasticized rubber, elasticized fabric materials, and  
combinations thereof.

16. A friendship necklace in accordance with Claim 13,  
wherein said inner band is made of non-stretchable materials and is  
selected from the group consisting of fabric materials, pliable  
plastic, and combinations thereof.

17. A friendship necklace in accordance with Claim 13,  
wherein said releasable closure means are selected from the group  
consisting of snaps, clasps, hook and loop fasteners, buckle and  
tine members, hooking members, buttons, and equivalents thereof.

18. A friendship necklace in accordance with Claim 13,  
wherein said closed loop member is made of fabric material selected  
from the group consisting of cotton, rayon, nylon, silk, linen,  
polyester and combinations thereof.

19. A friendship necklace in accordance with Claim 13,  
wherein said first indicia is imprinted or embroidered on said  
surface of said closed loop member.

20. A friendship necklace in accordance with Claim 13, wherein said first indicia includes an embroidered or imprinted indicia member attached to said surface of said closed loop member by means of gluing, sewing, stapling, heat sealing or laser fusion.

5 21. A friendship necklace in accordance with Claim 13, wherein said first indicia has a design selected from the group consisting of stars, stripes, hearts, flowers, insects, animals and the like.

10 22. A friendship necklace in accordance with Claim 13, wherein said first indicia has a color format selected from the group consisting of colors such as red, blue, green, yellow, purple, pink and the like.


15 23. A friendship necklace in accordance with Claim 13, wherein said first indicia has indicia symbols selected from the group consisting of letters, initials, names, numbers, insignias, emblems, corporate logos and the like.

20 24. A friendship necklace in accordance with Claim 13, wherein said neckband retains at least two or more of said closed loop members thereon for displaying said first and second indicia on said closed loop members.


# ABSTRACT OF THE DISCLOSURE

A friendship bracelet having exchangeable elements thereon for wearing on the wrist. The friendship bracelet includes a wristband formed of stretchable material and having releasable closure means members for opening and closing the wristband. A plurality of closed loop members are slidably removable from the wristband for exchanging with the closed loop members of other ones of the wristbands. Each of the plurality of closed loop members having first indicia thereon for exchanging with the closed loop members of other ones of the wristbands having second, third and fourth indicia thereon.


A method of using the friendship bracelet of the present invention wherein wearers use the bracelets to exchange the plurality of closed loop members with first indicia thereon with the closed loop members from other friendship bracelets having second, third and fourth indicia thereon.



**FIG. 1**



**FIG. 2**



**FIG. 3**




FIG. 5




FIG. 4







FIG. 6A





**FIG. 6B**



**FIG. 6C**

**FIGURE 7A**

**METHOD OF USE IN OPERATING OF  
THE FRIENDSHIP BRACELET**





FIGURE 7B

**STEP 4**  
**ATTACHING EACH OF THE CLOSED LOOP MEMBERS**

440 Each wearer would now slidably attach each of the closed loop members 60 and 60' having the first and second indicia members 62 and 72 thereon, on each of the respective exchanged wristband 20 and 20' of the first and second friendship bracelets 10 and 10', respectively, such that closed loop member 60 having the first indicia member 62 thereon is slidably connected to the second wristband section 20' of the second friendship bracelet 10' of the second wearer 12', and the closed loop member 60' having the second indicia member 72 thereon is slidably connected to the first wristband section 20 of the first friendship bracelet 10 of the first wearer 12.

**STEP 5**  
**CLOSING THE FRIENDSHIP BRACELET**

450 Each wearer would then close the releasable closure means 40 on each of the wristband sections 20 and 20' of each first and second friendship bracelets 10 and 10', such that the first wearer 12 of the first friendship bracelet 10 has a plurality of closed loop members 60 and 60' thereon and wristband section 20 has at least one closed loop member 60' having a second indicia member 72 thereon; and the second wearer 12' of the second friendship bracelet 10' has a plurality of closed loop members 60 and 60' thereon and wristband section 20' has at least one closed loop member 60 having a first indicia member 62 thereon.



**FIG. 8**

## DECLARATION FOR PATENT APPLICATION

Docket No. VIDOLIN 3.0-001

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled FRIENDSHIP BRACELET WITH EXCHANGEABLE ELEMENTS, the specification of which

(check one) ☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as  
Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

## Prior Foreign Application(s)

## Priority Claimed

(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status—patented, pending, abandoned)
(Application Serial No.)	(Filing Date)	(Status—patented, pending, abandoned)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Ezra Sutton, Reg. No. 25,770

Address all telephone calls to \_\_\_\_\_ at telephone no. (732) 634-3520

Address all correspondence to \_\_\_\_\_  
EZRA SUTTON, P.A.  
Plaza 9, 900 Route 9  
Woodbridge, New Jersey 07095

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor MICHAEL F. VIDOLIN

Inventor's signature [Signature] Date 4/21/98  
Residence Englishtown, New Jersey 07726 Citizenship United States of America  
Post Office Address 11 Hoffer Court

Englishtown, New Jersey 07726

Full name of second joint inventor, if any SCOTT P. TAYLOR

Second Inventor's signature [Signature] Date 4/21/98  
Residence Ossining, New York 10562 Citizenship United States of America  
Post Office Address 18 Hudson Point Lane  
Ossining, New York 10562

DECLARATION FOR PATENT APPLICATION

Page 2

Full name of third inventor BRIAN S. KEILL

Inventor's signature X *Brian S. Keill*

Residence Pearl River, New York 10965-1242

Post Office Address 15 Van Zandt Drive

Pearl River, New York 10965-1242

Citizenship United States of America

Date 4/21/98

Applicant or Patentee: MICHAEL F. VIDOLIN, et al Attorney's  
Serial or Patent No.: \_\_\_\_\_ Docket No.:  
Filed or Issued: \_\_\_\_\_ VIDOLIN 3.0-001  
Title: FRIENDSHIP BRACELET WITH EXCHANGEABLE ELEMENTS

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY  
STATUS (37 CFR 1.2(f) AND 1.27(b) - INDEPENDENT INVENTOR**

As a below-named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark office with regard to the invention entitled \_\_\_\_\_  
FRIENDSHIP BRACELET WITH EXCHANGEABLE ELEMENTS

described in:

- ☒ the specification filed herewith  
☐ Application Serial No. \_\_\_\_\_, filed \_\_\_\_\_  
☐ Patent No. \_\_\_\_\_, issued \_\_\_\_\_.

I have not assigned, granted, conveyed, or licensed and am under no obligation, under contract or law to assign, grant, convey, or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern, or organization  
☐ persons, concerns, or organizations listed below\*

\*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)




FULL NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

FULL NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

FULL NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statcmnts may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

MICHAEL F. VIDOLIN	SCOTT P. TAYLOR	BRIAN S. KEILL
NAME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
		
Signature of Inventor	Signature of Inventor	Signature of Inventor
4/21/98	4/21/98	4/21/98
Date	Date	Date